JCI The Journal of Clinical Investigation

Human thymus contains IFN-α-producing CD11c⁻, myeloid CD11c⁺, and mature interdigitating dendritic cells

Nathalie Bendriss-Vermare, ..., Giorgio Trinchieri, Francine Brière

J Clin Invest. 2001;108(8):1237-1237. https://doi.org/10.1172/JCI13171C1.

Corrigendum

J. Clin. Invest.107:835–844 (2001) During the preparation of this manuscript for publication, errors were introduced in Figure 3. The correct version, accompanied by the legend, appears below.3 Figure 3Immunophenotype of isolated thymic DC subsets analyzed by flow cytometry. Thymic DCs were sorted into Lin- (PE-Cy5) HLA-DRint (FITC) and Lin- HLA-DRhi subsets. Anti-CD13-PE-Cy5 labeling of HLA-DRint cells clearly resolved two distinct populations. CD13+ HLA-DRint, CD13- HLA-DRint, and CD13+ HLA-DRhi DCs were analyzed using PE-conjugated mAb's for the expression of a number of lymphoid, myeloid, costimulatory, and adhesion markers. Data shown are representative of three experiments. Ag, antigen.



Find the latest version:

https://jci.me/13171C1/pdf

Corrigendum

October 2001

Volume 108 | Number 8

Human thymus contains IFN-α-producing CD11c⁻, myeloid CD11c⁺, and mature interdigitating dendritic cells

Nathalie Bendriss-Vermare, Clarisse Barthélémy, Isabelle Durand, Corine Bruand, Colette Dezutter-Dambuyant, Nathalie Moulian, Sonia Berrih-Aknin, Christophe Caux, Giorgio Trinchieri, and Francine Brière

J. Clin. Invest. 107:835-844 (2001).

During the preparation of this manuscript for publication, errors were introduced in Figure 3. The correct version, accompanied by the legend, appears below.



Figure 3

Immunophenotype of isolated thymic DC subsets analyzed by flow cytometry. Thymic DCs were sorted into Lin⁻ (PE-Cy5) HLA-DR^{int} (FITC) and Lin⁻ HLA-DRⁱⁿ subsets. Anti-CD13-PE-Cy5 labeling of HLA-DR^{int} cells clearly resolved two distinct populations. CD13⁺ HLA-DR^{int}, CD13⁻ HLA-DR^{int}, and CD13⁺ HLA-DR^{int} DCs were analyzed using PE-conjugated mAb's for the expression of a number of lymphoid, myeloid, costimulatory, and adhesion markers. Data shown are representative of three experiments. Ag, antigen.